

SUMMER ASSIGNMENT

Dear future Calculus AB student –



We are excited to work with you next year in Calculus AB. ☺ In order to help you be prepared for this class, please complete the summer assignment. We would like to recommend that you do this Short Answer Section first. In that packet there are directions and review of the main topics that you need for this packet as well as for the multiple choice packet. **Show work to support your answers.** These problems are due the first day of class. On the first day of class you will have a short amount of time to ask questions before turning these packets in. Do not expect there to be time in class for ALL questions to be resolved. **“There will be an assessment test on the material.”**

SHORT ANSWER SECTION

Objectives: For objectives #1 - #5 you should be able to do all without a calculator

1. Identify functions as even or odd
- Algebraically
- Graphically
2. Know key points and basic shapes of essential graphs
- $f(x)=\sqrt{x}, f(x)=x^2, f(x)=x^3$
- $f(x)=e^x$
- $f(x)=\ln(x)$
- $f(x)=\sin x, f(x)=\cos x$
3. Review Trigonometry
- Evaluate trig values
- Evaluate inverse trig values
- Solve trig equations
4. Understand characteristics of rational expressions (be able to sketch **without** a calculator)
- Vertical asymptotes
- Horizontal asymptotes
- Zeros
- Holes
5. Be able to use properties of natural logarithms to solve equations
6. Know your calculator

I. Symmetry – Even and Odd Functions

Quick Review		
Even Function	Symmetric about the y axis $f(-x) = f(x)$ for all x	Example: $y = x^2$ 
Odd Function	Symmetric about the origin (equivalent to a rotation of 180 degrees) $f(-x) = -f(x)$ for all x	Example: $y = x^3$ 

To determine algebraically if a function is even, odd, or neither, find $f(-x)$ and determine if it is equal to $f(x)$, $-f(x)$, or neither.

Example: Determine if $f(x) = \frac{4x}{x^2 + 1}$ is even or odd.

$$f(-x) = \frac{4(-x)}{(-x)^2 + 1} = \frac{-4x}{x^2 + 1} = -\frac{4x}{x^2 + 1} = -f(x) \text{ Therefore, } f(x) \text{ is an odd function.}$$


Determine if the following functions are even, odd, or neither.

1. $f(x) = \frac{x^2}{x^4 + 3}$
2. $f(x) = \frac{x}{x + 1}$
3. $f(x) = 1 + 3x^2 + 3x^4$
4. $f(x) = 1 + 3x^3 + 3x^5$


II. Essential Graphs

For each graph, show two key points (label coordinates) and basic shape of the graph.


1. $f(x) = \sqrt{x}$




2. $f(x) = x^3$




3. $f(x) = \sin x$




4. $f(x) = x^2$



5. $f(x) = \frac{1}{x}$





6. $f(x) = \cos x$



III. Trigonometry Review

On each right triangle with a hypotenuse of 1, label the lengths of the other sides:



45° = _____ radians
90° = _____ radians
30° = _____ radians
60° = _____ radians

⇒ In calculus we always use radians! Never degrees.

1. Evaluate the sine, cosine, and tangent of each angle without using a calculator. It is not necessary (ever again!) to rationalize the denominator. (ie, an answer of $\frac{1}{\sqrt{2}}$ does not need to be written $\frac{\sqrt{2}}{2}$)

- a) $\frac{\pi}{4}$
b) $\frac{5\pi}{4}$
c) $-\frac{\pi}{6}$
- d) $\frac{\pi}{2}$
e) $\frac{5\pi}{3}$
f) $\frac{11\pi}{6}$

2. Find two solutions to the inverse trig equations. $(0 \leq \theta \leq 2\pi)$.

1. Draw a triangle, if necessary
2. Label θ and sides
3. Determine reference angle
4. Notice restrictions
5. Place in correct quadrant

$$a) \cos \theta = \frac{\sqrt{2}}{2}$$

$$b) \cos \theta = -\frac{\sqrt{2}}{2}$$

$$c) \sec \theta = 2$$

$$d) \tan \theta = 1$$

$$e) \cot \theta = -\sqrt{3}$$

$$f) \sin \theta = -\frac{\sqrt{3}}{2}$$

3. Solve for y . Notice the only difference between question #2 and #3 is the domain restrictions #3. Inverse trig functions have one answer due to domain restrictions. Note: $\sin^{-1}x$ is the same as $\arcsin x$

$$a) y = \sin^{-1}\left(\frac{1}{2}\right)$$

$$b) y = \cos^{-1}\left(\frac{1}{2}\right)$$

$$c) y = \arctan(\sqrt{3})$$

$$d) y = \csc^{-1}(2)$$

$$e) y = \arccos(0)$$

$$f) y = \cot^{-1}(-1)$$

IV. Rational Functions

Rational functions are ratios of polynomials: $h(x) = \frac{f(x)}{g(x)}$

$h(x)$ has a **zero** when $h(x) = 0$ (which occurs when $f(x) = 0$ and the factor does not cancel)

$$\text{Ex. } h(x) = \frac{x^2 + x - 2}{x^2 - 1}$$

$$h(x) = \frac{(x+2)(x-1)}{(x+1)(x-1)}$$

$$h(x) = \frac{(x+2)\cancel{(x-1)}}{(x+1)\cancel{(x-1)}}$$

Therefore, $h(x) = 0$ when $x = -2$.

$h(x)$ has a **vertical asymptote** when $g(x) = 0$ and the factor that causes $g(x) = 0$ does not cancel

$$\text{Ex. } h(x) = \frac{x^2 + x - 2}{x^2 - 1}$$

$$h(x) = \frac{(x+2)(x-1)}{(x+1)(x-1)}$$

$$h(x) = \frac{(x+2)\cancel{(x-1)}}{(x+1)\cancel{(x-1)}}$$

Therefore, $h(x)$ has a vertical asymptote when $x = -1$.

$h(x)$ has a **hole** (is undefined but the limit exists) when $g(x) = 0$ and the factor that causes $g(x) = 0$ cancels from both $f(x)$ and $g(x)$.

$$\text{Ex. } h(x) = \frac{x^2 + x - 2}{x^2 - 1}$$

$$h(x) = \frac{(x+2)(x-1)}{(x+1)(x-1)}$$

$$h(x) = \frac{(x+2)\cancel{(x-1)}}{(x+1)\cancel{(x-1)}}$$

Therefore, $h(x)$ has a hole when $x = 1$.

Note that $h(x) \neq \frac{(x+2)}{(x+1)}$ because these two functions do not have the same domain.

$h(x)$ has a **horizontal asymptote** at $y = a$ when $\lim_{x \rightarrow \infty} h(x) = a$ or $\lim_{x \rightarrow -\infty} h(x) = a$. To determine $\lim_{x \rightarrow \infty} h(x)$ consider first the largest exponent of $f(x)$ and $g(x)$. If $f(x)$ has the larger exponent, then $\lim_{x \rightarrow \infty} h(x) = \infty$ (DNE). If $g(x)$ has the larger exponent, then $\lim_{x \rightarrow \infty} h(x) = 0$. If the exponents are the same, consider the leading coefficient.

$$\text{Ex. } h(x) = \frac{x^2 + x - 2}{x^2 - 1}$$

$$\text{Leading coefficients} = \frac{1}{1}$$

Therefore, $\lim_{x \rightarrow \infty} h(x) = 1$ and $h(x)$ has a horizontal asymptote at $y = 1$.

Once the basic characteristics of rational expressions are determined, the functions can be sketched without a calculator:

$$\text{Ex. } h(x) = \frac{x^2 + x - 2}{x^2 - 1}$$


Zero at $x = -2$.

Vertical Asymptote: $x = -1$

Hole when $x = 1$

Horizontal Asymptote: $y = 1$


Graph points as needed until you see the shape.




For each rational function below:

- Find all zeros
- Write the equations of all vertical asymptotes
- Write the equations of all horizontal asymptotes
- Find the x value of any holes
- Sketch the graph (no calculator) showing all characteristics listed (Not all functions will have all characteristics listed above)


$$1. f(x) = \frac{x+2}{x-1}$$




$$2. f(x) = \frac{2x-3}{x+1}$$




$$3. f(x) = \frac{1}{x^2}$$




$$4. f(x) = \frac{x-1}{x^2}$$



$$5. f(x) = \frac{x^2+3x-4}{x^2-x-6}$$



$$6. f(x) = \frac{x}{x^2-4}$$



V. Properties of Natural Logarithms

Recall that $y = \ln(x)$ and $y = e^x$ (exponential function) are inverse to each other

Properties of the Natural Log:

$$\ln(AB) = \ln(A) + \ln(B)$$

$$\text{Ex: } \ln(2) + \ln(5) = \ln(10)$$

$$\ln\left(\frac{A}{B}\right) = \ln(A) - \ln(B)$$

$$\text{Ex: } \ln(6) - \ln(2) = \ln\left(\frac{6}{2}\right) = \ln(3)$$

$$\ln(A^p) = p \ln(A)$$

$$\text{Ex: } \ln(x^4) = 4 \ln(x) \quad \text{and} \quad 3 \ln(2) = \ln(2^3) = \ln(8)$$

Know these without a calculator: $\ln(e^x) = x$, $\ln(e) = 1$, $\ln(1) = 0$, $e^0 = 1$

Use the properties of natural logs to solve for x.

Ex:

$$5^x = 7e^x$$

$$\frac{5^x}{7} = \ln e^x$$

$$\ln\left(\frac{5^x}{7}\right) = \ln e^x$$

$$\ln(5^x) - \ln(7) = x$$

$$x \ln(5) - \ln(7) = x$$

$$x \ln(5) - x = \ln(7)$$

$$x(\ln(5) - 1) = \ln(7)$$

$$x = \frac{7}{\ln(5) - 1}$$


$$1. 10 = 4^x$$

$$2. 2e^{3x} = 4e^{5x}$$


$$3. 10^{x+3} = 5e^{7-x}$$

Draw a sketch of each function. Make sure to label the key point and an asymptote.


$$4. y = 2^x$$




$$5. y = e^x$$



$$6. y = -e^x$$



$$7. y = \ln x$$



VI Calculator Skills

No matter what type of calculator you own, you should be able to do the following problems. Use the index of the owner’s manual of your calculator to look up instructions or ask a classmate how to do each.

Evaluations:

- 1) Fractions and more. Be careful to use enough parentheses.
- a) $\frac{6 - .379}{3 + \sqrt{2}}$

b) $\sqrt{2 + \pi}$
- 2) Logarithms and Exponents
- a) $\ln 2$

b) $\log 2$

c) $\ln (3e)$

d) 5^{-4}

e) e^3

f) $\sqrt[3]{10}$

f) -18^2

g) $(-18)^2$

h) $3^{(2)(.0134)}$
- 3) Trigonometry Evaluations. Make sure you watch the mode – degree versus radians.
- a) $\sin 23^\circ$


b) $\sin \frac{\pi}{5}$

c) $\sec \frac{\pi}{7}$

d) $\tan^{-1}(1.5)$ in radians & degrees

Graphing Skill #1: You should be able to graph a function in a viewing window that shows the important features. You should be familiar with the built-in zoom options for setting the window such as zoom-decimal and zoom-standard. You should also be able to set the window conditions to values you choose.

1. Graph $y = x^2 - 3$ using the built in zoom-decimal and zoom-standard options. Draw each.



2. Find the appropriate viewing window to see the intercepts and the vertex defined by $y = x^2 - 11x + 10$. Use the window editor to enter the x and y values.

Window: Xmin = _____
Xmax = _____
Xscl = _____
Ymin = _____
Ymax = _____
Yscl = _____

3. Find the appropriate viewing windows for the following functions:

$y = 10 + \frac{1}{4}x$

$y = \sqrt{x - 5}$

$y = 100(1.06)^x$

$y = \frac{1}{x + 10}$

Xmin = _____

Xmax = _____

Xscl = _____

Ymin = _____

Ymax = _____

Yscl = _____

Xmin = _____

Xmax = _____

Xscl = _____

Ymin = _____

Ymax = _____

Yscl = _____

Xmin = _____

Xmax = _____

Xscl = _____

Ymin = _____

Ymax = _____

Yscl = _____

Xmin = _____

Xmax = _____

Xscl = _____


Ymin = _____


Ymax = _____

Yscl = _____

Graphing Skill #2: You should be able to graph a function in a viewing window that shows the x-intercepts (also called roots and zeros). You should be able to accurately estimate the x-intercepts to **3 decimal places**. Use the built-in root or zero command.

1. Find the x-intercepts of $y = x^2 - x - 1$. Window $[-4.7, 4.7] \times [-3.1, 3.1]$





(Write intercepts as points)


x-intercepts: _____


2. Find the x-intercepts of $y = x^3 - 2x - 1$. x-intercepts: _____

Graphing Skill #3: You should be able to graph two functions in a viewing window that shows the intersection points. Sometimes it is impossible to see all points of intersection in the same viewing window. You should be able to accurately estimate the coordinates of the intersection points to **3 decimal places**. Use the built-in intersection command.

1. Find the coordinates of the intersection points for the functions:

$$f(x) = x + 3 \quad g(x) = -x^2 - x + 7.$$






Intersection points: _____


2. Find the coordinates of the intersection points of: $f(x) = 4x^2 \quad g(x) = 2^x$.

Intersection points: _____

Graphing Skill #4: You should be able to graph a function and estimate the local maximum or minimum values to **3 decimal places**. Use the built-in max/min command.

1. Find the maximum and minimum values of the function $y = x^3 - 4x - 1$.





(Value means the y-value)

Minimum value: _____

Maximum value: _____

2. Find the maximum and minimum values of the function $y = x^3 - 4x^2 + 4x$.

REVIEW: Do the following problems on your calculator.

1. $\frac{\sqrt{-4 + 8.556}}{2 + \sqrt[3]{9}}$

2. $\ln 4e^{\sqrt{12}} - 1.32$
3. $\sin 48^\circ$

4) $\cos^{-1}(-.75)$ in radians and degrees
- 5) $\tan \frac{5\pi}{6}$
- 6) Find the x-intercepts, relative maximum, and relative minimum of $y = x^3 + 2x^2 - 1$

7) Find the coordinates of the intersection points for the functions $f(x) = 2x^2 + x - 9$ and $g(x) = -\frac{3}{4}x + 3$

SUMMER ASSIGNMENT

Multiple Choice Section

Directions: Please read questions carefully. It is recommended that you do the Short Answer Section prior to doing the Multiple Choice.

Show all work on this packet. If no work is required, EXPLAIN how you arrived at your answer.

Follow calculator instructions as given in each section.

* A choice of “none” is short for “none of these”. A choice of DNE means “does not exist”.

These problems are due the first day of class. These problems are due the first class. On the first day of class you will have a short amount of time to ask questions before turning these packets in. Do not expect there to be time in class for ALL questions to be resolved.

Lines and functions: (NO CALCULATOR)


- 1) Determine the slope of the line that passes through the points $(-1, 6)$ and $(11, -6)$.
 a) 1 b) -1 c) 0 d) $\frac{6}{5}$
- 2) Find the equation of the line that passes through the point $(1, -1)$ and has a slope of -3.
 a) $y = -3x - 2$ b) $y = -3x + 2$ c) $y = -3x - 1$ d) $y = -3x + 4$ e) none of these
- 3) Determine which points lie on the vertical line that contains the point $(5, 1)$.
 a) $(5, 0)$ b) $(0, 1)$ c) $(1, 5)$ d) all of these e) none of these
- 4) What is the slope of the line parallel to the line $7x - 2y = 12$?
 a) $\frac{7}{2}$ b) $-\frac{7}{2}$ c) $\frac{2}{7}$ d) -6
- 5) Find an equation of the line that passes through $(-1, -3)$ parallel to the line $2x + y = 19$.
 a) $y = -2x - 3$ b) $y = -2x - 5$ c) $y = 2x - 1$ d) $y = -\frac{1}{2}x - \frac{7}{2}$ e) none of these
- 6) Given $A = \{1, 2, 3\}$ and $B = \{-2, -1, 0, 1\}$, determine which of the sets of ordered pairs represents a function from A to B.
 a) $\{(1, -2), (2, -2), (3, -1), (2, 0), (2, 1)\}$ b) $\{(1, -2), (2, -1), (2, 0), (3, 1)\}$
 c) $\{(1, -2), (2, -1), (3, 0), (1, 1)\}$ d) all of these e) none of these
- 7) Which of the following **does not** represent y as a function of x ?
 a) $3x^2 + 4y = 8$ b) $3x - 2y = 0$ c) $3x^3 + y = 0$ d) $3x + 4y^2 = 8$ e) $x^2 - y = 16$
- 8) Given $f(x) = 6 - 2x^2$, find $f(-3)$.
 a) 12 b) 24 c) -12 d) -24 e) none
- 9) Given $f(x) = \begin{cases} x^2 + 1, & x < 4 \\ 6x - 7, & x \geq 4 \end{cases}$ find $f(-2)$.
 a) -19 b) 5 c) 4 d) -5 e) none
- 10) Given $f(x) = 6$ and $g(x) = 2x^2 - 1$, find $f(x) - g(x)$.
 a) $2x^2 + 5$ b) $2x^2 - 7$ c) $-2x^2 + 7$ d) $-2x^2 + 5$ e) none
- 11) Given $f(x) = x^2$ and $g(x) = x + 5$, find $g(f(x))$.
 a) $(x + 5)^2$ b) $x^2 + 5$ c) $x^2 + 25$ d) $x^2 + 5x^2$ e) none
- 12) Given $f(x) = x$ and $g(x) = x^2 - 7$, find $f(3) \cdot g(3)$.
 a) -13 b) 29 c) 5 d) 6 e) none
- 13) Given $f(x) = x^2 - 2x$ and $g(x) = 2x + 3$, find $f(g(x))$.
 a) $4x^2 + 8x + 3$ b) $2x^2 - 4x + 3$ c) $2x^3 - x^2 - 6x$ d) $3x^2 + x$ e) none of these
- 14) Given $f(x) = x^2$ and $g(x) = \sqrt{x - 6}$, find $f(g(-1))$.
- 15) If $f(x) = \frac{1}{2}x$, find $\frac{f(x+h) - f(x)}{h}$.
 a) 2 b) $\frac{1}{2}$ c) $\frac{x + \frac{1}{2}h}{h}$ d) 1 e) none

16) Is the function $f(x) = 2x^3 + 3x^2$ even, odd, or neither? Show why.

17) If f is a one-to-one function on its domain, the graph $f^{-1}(x)$ is a reflection of the graph of $f(x)$ with respect to:

- a) the x-axis b) the y-axis c) $y = x$ d) $y = -x$ e) none

18) In which graph does y not represent a one-to-one function of x ?



- d) All of these are one-to-one functions of x . e) None of these are one-to-one function of x .

19) Given $f(x) = 3x^3 - 1$, find $f^{-1}(x)$.

- a) $\frac{1}{3x^3 - 1}$ b) $3x^{-1} - 1$ c) $3(x + 1)$ d) $\sqrt[3]{\frac{x + 1}{3}}$ e) none

Lines and functions: (CALCULATOR)

20) Use your calculator to determine the interval(s) on the real axis for which $f(x) \geq 0$

where $f(x) = \sqrt{x - 9}$.

- a) $(-\infty, \infty)$ b) $[-9, 9]$ c) $[-3, 3]$ d) $[9, \infty)$ e) none

21) Find the relative max/min of $f(x) = x^3 - x$.

- a) relative maximum at $(-0.58, -0.38)$ b) relative maximum at $(-0.58, 0.38)$
relative minimum at $(0.58, -0.38)$
- c) relative maximum at $(0.58, -0.38)$ d) no relative minimum or relative maximum
relative minimum at $(-0.58, 0.38)$
- e) none of these

22) Find the minimum point on the graph of $f(x) = x^2 - 4x + 14$.

- a) $(2, 18)$ b) $(-2, 18)$ c) $(-2, 26)$ d) $(2, 10)$ e) none

Solving equations: (NO CALCULATOR)

23) Solve for x . $\frac{3x}{2} - \frac{x + 1}{4} = 6$

- a) 5 b) $\frac{23}{5}$ c) $\frac{35}{8}$ d) $\frac{1}{2}$ e) none

24) Solve for x . $\frac{1}{x - 3} - \frac{2}{x + 3} = \frac{2x}{x^2 - 9}$

- a) $-\frac{1}{2}$ b) 3 c) -3 d) -3 and 3 e) none

25) Solve for x . $\frac{7x}{x - 2} + \frac{2x}{x + 2} = 9$

- a) $-\frac{18}{5}$ b) $\frac{2}{3}$ c) $-\frac{2}{5}$ d) $\frac{5}{18}$ e) none

26) Solve for p : $g = \frac{4\pi^2 p}{r^2}$.

27) Solve for x . $(x + 2)^2 = -16x$

- a) $-8 \pm 2\sqrt{15}$ b) $-10 \pm 4\sqrt{6}$ c) $-10 \pm 2\sqrt{26}$ d) $-8 \pm 4\sqrt{15}$ e) none

28) Solve for x . $(3x - 1)^2 = 25$

- a) $-\frac{4}{3}, 2$ b) -2, 2 c) 2 d) -2, $\frac{4}{3}$ e) none

- 29) Solve for x. $3x^3 - 24x^2 + 21x = 0$
 a) 7, 1 b) -7, -1 c) 0, 1, 7 d) 0, -1, -7 e) none
- 30) Solve for x. $(x^2 + 4)^{\frac{2}{3}} = 25$
 a) -5.8, 5.8 b) -4.6, 4.6 c) 21 d) -11, 11 e) none
- 31) Solve for x. $|2 - 4x| = 12$
 a) $-\frac{5}{2}, \frac{7}{2}$ b) $-\frac{5}{2}, -\frac{7}{2}$ c) $\frac{5}{2}, -\frac{5}{2}$ d) $-\frac{5}{2}$ e) none
- 32) Solve by factoring. $2x^2 + 4x = 9x + 18$
 a) $-2, \frac{9}{2}$ b) $2, -\frac{9}{2}$ c) $\frac{9}{2}$ d) $-\frac{9}{2}$ e) none
- 33) Solve by completing the square. $x^2 - 6x + 1 = 0$
 a) $3 \pm \sqrt{26}$ b) $3 \pm \sqrt{10}$ c) $3 \pm \sqrt{17}$ d) $3 \pm 2\sqrt{2}$ e) none
- 34) Solve for x. $\frac{2x-1}{x} + 1 = \frac{4}{x+1}$
 a) 1 b) -1 c) $-\frac{1}{3}, 1$ d) $-1, \frac{1}{3}$ e) none
- 35) Solve for x. $3x^2 - 6x + 2 = 0$
 a) $\frac{3 \pm \sqrt{3}}{3}$ b) $1 \pm \sqrt{3}$ c) $\frac{3 \pm \sqrt{15}}{3}$ d) $\frac{1}{3}, 2$ e) none
- 36) Solve for x. $4x^2 + 12x = 135$
 a) $-\frac{9}{2}, \frac{15}{2}$ b) $-\frac{5}{2}, \frac{3}{2}$ c) $-\frac{15}{2}, \frac{9}{2}$ d) $-\frac{3 \pm \sqrt{6}}{2}$ e) none
- 37) Solve the inequality algebraically. $3 - 2x \leq 9$
 a) $(-\infty, -3]$ b) $(-\infty, 3]$ c) $[-3, \infty)$ d) $[3, \infty)$ e) none
- 38) Find all the real zeros of the polynomial function $f(x) = x^6 - x^2$.
 a) 0 b) 0, 1 c) 1 d) 0, 1, -1 e) none

Solving equations: (CALCULATOR)

- 39) Approximate the solution(s) of $x^4 + 2x^3 + 5x - 1 = 0$ using your graphing calculator.
 a) -2.72, 0.20 b) -1, 0 c) -2.72, -0.11 d) no solution e) none
- 40) Use your graphing calculator to approximate the solution(s) of $\frac{1}{x-3} = 9$.
 a) 3.000 b) 3.11 c) 2.90 d) no solution
- 41) Approximate the points of intersection of the graphs of $y = 5x - 14$ and $y = -3x - 6$.
 a) (1, -9) b) (2, -4) c) (3, -15) d) no solution e) none
- 42) Approximate the solution(s) of $|3x + 10| = 13$.
 a) 1 b) -1, 1 c) -7.67, 1 d) 1, 7.67 e) none
- 43) Evaluate $y = \frac{300}{1 + e^{-2t}}$ when $t = 3$.
 a) 299.2582 b) 213.3704 c) 300.0025 d) 107.4591 e) none

Factoring and division: (NO CALCULATOR)

- 44) Use synthetic division to factor the polynomial $x^3 - x^2 - 10x - 8$ completely if -2 is a zero.
 a) $(x - 2)(x - 4)(x + 1)$ b) -2, -4, -1 c) $(x + 2)(x - 4)(x + 1)$
 d) $(x + 2)(x + 4)(x - 1)$ e) none of these
- 45) Which polynomial function has zeros of 0, -1 and 2?
 a) $f(x) = x(x - 1)(x + 2)$ b) $f(x) = x(x + 1)(x - 2)$
 c) $f(x) = (x + 1)(x - 2)$ d) $f(x) = (x + 1)^2(x - 2)$ e) none

46) Use long division to find the quotient. $(6x^3 + 7x^2 - 15x + 6) \div (2x - 1)$

a) $3x^2 + 2x - \frac{17}{2} - \frac{5}{2(2x - 1)}$

b) $3x^2 + 5x - 5 + \frac{1}{(2x - 1)}$


c) $3x^2 + 5x + 5 + \frac{11}{(2x - 1)}$

d) $3x^2 + 4x - 17 + \frac{29/2}{(2x - 1)}$


47) Use synthetic division to find the quotient. $(3x^4 + 4x^3 - 2x^2 + 6x + 1) \div (x + 2)$

Graphs: (NO CALCULATOR)

48) Find the domain of the relation shown at the right.



49) Find the range of the function shown at the right.



50) Find the domain of the function $f(x) = \sqrt{5 - x}$.

a) $(-\infty, 5]$

b) $(-\infty, 5)$

c) $[-5, \infty)$

d) $(-5, \infty)$

e) none

51) Describe the transformation of the graph of $f(x) = |x|$ which yields the graph of $g(x) = |x| - 20$.





a) vertical shift 20 units up

b) vertical shift 20 units down

c) horizontal shift 20 units right

d) horizontal shift 20 units left

52) Graph $g(x) = (x - 1)^2$ using a transformation of the graph of $f(x) = x^2$.



53) Which sequence of transformations will yield the graph of $g(x) = (x + 1)^2 + 10$ from the graph of $f(x) = x^2$?

a) horizontal shift 10 units right
vertical shift 1 unit up

b) horizontal shift 1 unit left
vertical shift 10 units up

c) horizontal shift 1 unit right
vertical shift 10 units up

d) horizontal shift 10 units left
vertical shift 1 unit up

54) Find the x-intercept(s) of $3x^2 + 2y^2 + 4xy - 12 = 0$

a) $(\pm\sqrt{6}, 0)$

b) $(\pm 2, 0)$


c) $(4, 0)$

d) $(6, 0)$

e) none


- 55) Find the intercepts of the graph of $3x + 7y = 21$.
- a) x-int: (0, 7) b) x-int: (0, 3) c) x-int: (3, 0)
 y-int: (3, 0) y-int: (7, 0) y-int: (0, 7)
- d) x-int: (7, 0) e) none
 y-int: (0, 3)
- 56) Find the x and y-intercepts: $y = x^2 - 5x + 4$
- a) (0, -4), (0, 1), (4, 0) b) (0, 4), (4, 0), (1, 0) c) (0, -4), (-4, 0), (-1, 0)
 d) (0, 4), (-4, 0), (-1, 0) e) none of these
- 57) Determine the left and right behaviors of the graph of $f(x) = -x^5 + 2x^2 - 1$.
- a) up to the left, down to the right b) down to the left, up to the right
 c) up to the left, up to the right d) down to the left, down to the right
 e) none of these
- 58) Determine the left and right behaviors of the graph of $f(x) = -x^4 + 3x^3 + 5x^2$.
- a) up to the left, down to the right b) down to the left, up to the right
 c) up to the left, up to the right d) down to the left, down to the right
 e) none of these
- 59) Which function is graphed?

- a) $f(x) = x^3 + x^2 - 6$ b) $f(x) = -x^3 - x^2 + 6x$
 c) $f(x) = x^3 + x^2 - 6x$ d) $f(x) = x^4 + x^2 - 6x$
 e) none of these




- 60) Graph the following: $f(x) = \begin{cases} -x^2 + 2, & x \leq 0 \\ x + 2, & x > 0 \end{cases}$
- 61) Find the domain of the function $f(x) = \frac{1}{x^2 - 3x + 2}$.
- a) $(-\infty, -2), (-2, 1), (1, \infty)$ b) $(-\infty, 1), (1, 2), (2, \infty)$ c) $(-\infty, \infty)$
 d) $(-\infty, \frac{1}{2}), (\frac{1}{2}, \infty)$ e) none of these
- 62) Find the domain of $f(x) = \frac{x + 2}{x^2 - 3x + 2}$.
- a) all real numbers except -2, 1, and 2 b) all real numbers except -2
 c) all real numbers except 1 and 2 d) all real numbers e) none
- 63) Find the domain of $f(x) = \frac{3x - 1}{x^2 + 9}$.
- a) all real numbers b) all real numbers except ± 3
 c) all real numbers except $\frac{1}{3}$ d) all real numbers except $\frac{1}{3}, \pm 3$
- 64) Find the vertical asymptote(s) of the graph of $f(x) = \frac{x + 3}{(x - 2)(x + 5)}$.
- a) $y = 2, y = -5, y = -3$ b) $x = 2, x = -5, x = -3, x = 1$
 c) $x = 1$ d) $x = 2, x = -5$ e) none

- 65) Find the horizontal asymptote(s) of the graph of $f(x) = \frac{3x - 1}{x + 2}$.
- a) $y = 0$ b) $x = -2$ c) $x = \frac{1}{3}$ d) $y = 3$ e) none
- 66) Find the horizontal asymptote(s) of the graph of $f(x) = \frac{3x^2 + 2x - 16}{x^2 - 7}$
- a) $x = \pm\sqrt{7}$ b) $y = 3$ c) $y = \pm 7$ d) $y = 0$ e) none
- 67) Find all intercepts of the graph of $f(x) = \frac{x - 14}{2x + 7}$.
- a) $(0, -2), (14, 0)$ b) $(-14, 0), (\frac{1}{2}, 0)$ c) $(14, 0), (0, \frac{1}{2})$
d) $(14, 0), (0, -\frac{7}{2})$ e) none
- 68) Match the rational function with the correct graph. $f(x) = \frac{x^2}{x + 2}$




69) Match the graph with the correct function.



- 70) What is the domain of $f(x) = 3 - e^x$?
- a) $(3, \infty)$ b) $[0, \infty)$ c) $(-\infty, \infty)$ d) $(-\infty, 3)$ e) none

71) Without using a graphing utility, sketch the graph of $f(x) = 3^x - 2$.



Trigonometry(No Calculator)

- 73) Give the exact value of $\cos\left(-\frac{3\pi}{4}\right)$.
- a) $-\frac{\sqrt{2}}{2}$ b) $-\frac{1}{2}$ c) $\frac{\sqrt{3}}{2}$ d) $\frac{\sqrt{2}}{2}$ e) none
- 74) Find all solutions to $2\cos x - \sqrt{3} = 0$ in the interval $[0, 2\pi]$.
- a) $\frac{\pi}{6}, \frac{11\pi}{6}$ b) $\frac{5\pi}{6}, \frac{7\pi}{6}$ c) $\frac{\pi}{3}, \frac{5\pi}{3}$ d) $\frac{2\pi}{3}, \frac{4\pi}{3}$
- 75) Give the exact value of $\csc\frac{3\pi}{2}$.
- a) 2 b) undefined c) -1 d) 1 e) none of these
- 76) Find all solutions to $\sec^2 x = \sec x + 2$ in the interval $[0, 2\pi]$.
- a) $\frac{\pi}{2}, \frac{2\pi}{3}, \frac{4\pi}{3}, \frac{3\pi}{2}$ b) $\frac{\pi}{3}, \pi, \frac{5\pi}{3}$ c) $\frac{2\pi}{3}, \frac{4\pi}{3}$ d) $\frac{\pi}{6}, \pi, \frac{11\pi}{6}$
- 77) Find the exact value of $\tan\frac{5\pi}{6}$.
- a) $\frac{\sqrt{3}}{2}$ b) $\sqrt{3}$ c) -1 d) $-\frac{\sqrt{3}}{3}$

78) Evaluate $\sec \frac{\pi}{3}$.

- a) $\frac{\sqrt{2}}{2}$ b) $\frac{\sqrt{3}}{2}$ c) $\frac{\sqrt{3}}{3}$ d) 2

79) Find all solutions of $2 \sin x \cos x + \cos x = 0$ in the interval $[0, 2\pi)$.

- a) $\frac{\pi}{6}, \frac{\pi}{2}, \frac{5\pi}{6}, \frac{3\pi}{2}$ b) $\frac{\pi}{2}, \frac{7\pi}{6}, \frac{3\pi}{2}, \frac{11\pi}{6}$ c) $\frac{5\pi}{6}, \frac{11\pi}{6}$
d) $0, \pi$ e) none of these

Trigonometry(CALCULATOR)

80) Given $\tan \theta = 1.2617$, find θ .

- a) 0.0220 b) 0.9006 c) 1.0145 d) 0.3193 e) none

81) Find two values of θ ($0 \leq \theta \leq 2\pi$) that satisfy $\sec \theta = 5.1258$.

- a) 1.767 and 4.516 b) 1.374 and 4.909 c) 1.134 and 1.767
d) 1.767 and 4.909 e) none of these

82) Evaluate $\arccos(-0.4777)$.

- a) -1.0049 b) 1.0728 c) 2.0934 d) 2.0688 e) none

Logarithms and natural logarithms (NO CALCULATOR)

83) Solve for x. $27^x = 81$

- a) $\frac{3}{4}$ b) $-\frac{1}{3}$ c) $\frac{4}{3}$ d) $\frac{2}{3}$ e) none

84) Evaluate. $\ln e^{1-x}$

- a) e^{1-x} b) e c) $1-x$ d) $\ln(1-x)$ e) none

85) Simplify. $\ln \sqrt[5]{e^3 x}$

- a) $\frac{3e}{5} + \frac{1}{5} \ln x$ b) $\frac{3e}{5} + \ln \frac{x}{5}$ c) $\frac{3}{5} + \ln \frac{x}{5}$ d) $\frac{3}{5} + \frac{1}{5} \ln x$ e) none

86) Simplify. $\ln \sqrt{e^3}$

- a) $\ln \frac{3}{2}$ b) $\ln \frac{2}{3}$ c) $\frac{3}{2}$ d) $\frac{2}{3}$ e) none

87) Solve for x. $\ln e^{2x+1} = 9$

- a) $\frac{-1 + \ln 9}{2}$ b) $\frac{9}{2 \ln e} - \frac{1}{2}$ c) 23 d) 4 e) none

88) Simplify. $7 + \ln e^{5x}$

- a) $5x + \ln 7$ b) $7 + 5x$ c) $\frac{\ln 7}{5x}$ d) $35x$ e) none

89) Solve for x. $2^{1-x} = 3^x$

- a) $\frac{\ln 2}{\ln 6}$ b) $\ln \frac{1}{3}$ c) $\ln \frac{2}{3}$ d) $\ln 3 + \ln 2$ e) none

90) Solve for x. $\ln(7-x) + \ln(3x+5) = \ln(24x)$

- a) $\frac{6}{11}$ b) $\frac{7}{3}$ c) $\frac{7}{3}, -5$ d) $\frac{6}{11}, 5$ e) none

91) Find the domain of the function $f(x) = \ln(x-1)$.


- a) $(-\infty, \infty)$ b) $(0, \infty)$ c) $(1, \infty)$ d) $(-\infty, 1)$ e) n

NO CALCULATOR

Limits


92) Use the graph to estimate $\lim_{x \rightarrow 2} f(x)$.

- a) DNE b) 0
c) -3 d) 2
e) none



93) Use the graph to find $\lim_{x \rightarrow -1} f(x)$, if it exists.

- a) 1 b) -2
c) DNE d) -1
e) -3



94) Find $\lim_{x \rightarrow -3} (-2x^2 + 1)$

- a) 37 b) 19 c) -17 d) $\pm\sqrt{2}$ e) none

95) Find $\lim_{x \rightarrow 1} \frac{3x^3 - 4x^2 - 5x + 2}{x^2 - x - 2}$.

96) Find $\lim_{x \rightarrow 1} f(x)$ if $f(x) = \begin{cases} x^2 + 4, & x \neq 1 \\ 2, & x = 1 \end{cases}$

97) If $\lim_{x \rightarrow c} f(x) = -\frac{1}{2}$ and $\lim_{x \rightarrow c} g(x) = \frac{2}{3}$, find $\lim_{x \rightarrow c} [f(x) - g(x)]$.

98) Find $\lim_{x \rightarrow -1} \frac{x^2 - 5x - 6}{x + 1}$.

- a) 0 b) -7 c) $-\infty$ d) ∞ e) none

99) Find $\lim_{x \rightarrow -2} \frac{x + 2}{x^3 + 8}$.

- a) $\frac{1}{20}$ b) 0 c) $-\frac{1}{4}$ d) $\frac{1}{12}$ e) DNE

100) Find the limit. $\lim_{\Delta x \rightarrow 0} \frac{(x + \Delta x)^2 - 2(x + \Delta x) - (x^2 - 2x)}{\Delta x}$

- a) $-4x$ b) -2 c) $2x - 2$ d) DNE e) none